

Профессиональные портативные светодиодные лампы АССУ

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

CROP FUTURE LED

GENERAL CARD



TECHNICAL PARAMETERS

Light source:	LED
Rated power of the luminaire [W]*:	4.00
Luminous flux [lm]*:	400
Colour temperature [K]:	6500
Diffuser material:	ABS
Diffuser type:	transparent
Dimensions (H/W/T/S) [mm]:	255/58/45

CHARACTERISTICS

The manual LED luminaire is a proposal for people working in a car workshop, mobile service center, garage, or on a construction site. Professionals and DIY enthusiasts alike will benefit from the functionality of the LED hand-held luminaire - everyone for whom good lighting is important during work or hobby. The luminaire is characterized by high durability, a strong light beam, and a long working time, which allows you to focus on the task. At the same time, the emitted light is pleasant to the eyes, and the energy-saving LED technology itself.

- Light source: 4 W COB LED + 4 W SMD LED (above)
- Lighting time: 400 lm - 3,5 h, 120 lm - 10 h
- Protection class III
- micro USB charger inset 100-240 AC/DC 5V 1A + 1 m micro USB
- Ingress protection class: IP54
- Dimensions: 255x58x45 mm
- Weight: 110 g
- Battery Li-ion 3,7V 2600 mAh
- Charging time: 3 h
- Magnet on the bottom of the lamp

APPLICATION

It is used as a working luminaire for lighting workplaces, workshops, or garages.

CROP FUTURE LED

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

Rated power of the luminaire [W]*	Colour temperature [K]	Luminous flux [lm]*	Diffuser material	Diffuser type	Dimensions (H/W/T/S) [mm]	Index
4	6500	400	ABS	transparent	255/58/45	>> 608599

PELICAN EVO LED

GENERAL CARD



TECHNICAL PARAMETERS

Light source:	LED
Rated power of the luminaire [W]*:	2.00
Colour temperature [K]:	6500
Material of the body:	ABS + PC
Colour of the body:	grey
Diffuser colour:	transparent
Dimensions (H/W/T/S) [mm]:	252 /55/41

CHARACTERISTICS

The manual LED luminaire is a proposal for people working in a car workshop, mobile service center, garage, or on a construction site. Professionals and DIY enthusiasts alike will benefit from the functionality of the LED hand-held luminaire - everyone for whom good lighting is important during work or hobby. The luminaire is characterized by high durability, a strong light beam, and a long working time, which allows you to focus on the task. At the same time, the emitted light is pleasant to the eyes, and the energy-saving LED technology itself.

APPLICATION

It is used as a working luminaire for lighting workplaces, workshops, or garages.

PELICAN EVO LED

GENERAL CARD

AVAILABLE VERSIONS

 Click index >>, to see details

Rated power of the luminaire [W]*	Colour temperature [K]	Battery	Battery capacity [mAh]	Diffuser colour	Material of the body	Colour of the body	Dimensions (H/W/T/S) [mm]	Index
2	6500	Li-ion 3.7V 4400 mAh Li-ion (2x 18650)	4400	transparent	ABS + PC	grey	252 /55/41	>> 608582

CRANE COB LED

GENERAL CARD



TECHNICAL PARAMETERS

Nominal power [W] - range:	5W COB - 1W SMD
Luminous flux of the luminaire [lm] - range:	620 - 120
Ingress protection:	IP44
Supply voltage [V]:	5
Frequency [Hz]:	50 - 60
Luminous efficacy [lm/W]:	90.00
Electrical protection class:	III
Colour rendering index:	>80
Charging time [h:min]:	3.00
Battery life [h:min]:	3
Battery:	Li-Ion 3,7V
Dimensions (H/W/T/S) [mm]:	61/41.5/340
Warranty [years]:	2

CHARACTERISTICS

- Light source: 5W COB LED + 1W SMD LED (top)
- Luminous flux: 5W COB - 620lm, 1W SMD - 120lm
- Torchlight function
- Strong magnet in base
- Protection class: III
- Retractable rotating hook in handle
- Charger in set: USB 100-240 AC/DC 5V1A + 1,5m micro
- Weight: 0,30 kg
- Li-Ion 3,7V 2200mAh battery
- Lamp covered with rubber
- Charging time: 3H
- Working time: 3H (high option), 5,5H (low option)
- Indicator of battery state
- Elastic joint +/- 120°

APPLICATION

CRANE COB LED

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

Nominal power [W] - range	Luminous flux of the luminaire [lm] - range	Charging time [h:min]	Battery life [h:min]	Battery	Battery capacity [mAh]	Plug type	Dimensions (H/W/T/S) [mm]	Index
5W COB - 1W SMD	620 - 120	3.00	3	Li-Ion 3,7V	2600	UNI-SCHUKO	61/41.5/340	>> 334764

AVIOR COB LED

GENERAL CARD



TECHNICAL PARAMETERS

Nominal power [W] - range:	2W COB / 1W SMD
Luminous flux of the luminaire [lm] - range:	200/100
Colour temperature [K]:	6500
Ingress protection:	IP40
Supply voltage [V]:	5
Frequency [Hz]:	50 - 60
Electrical protection class:	III
Colour rendering index:	>80
Charging time [h:min]:	3.00
Battery life [h:min]:	3.50
Battery:	Li-Ion 3,7V
Dimensions (H/W/T/S) [mm]:	56/190/33
Warranty [years]:	2

CHARACTERISTICS

- Light source: 2W COB LED + 1W SMD LED (top)
- Luminous flux: 2W COB - 200lm, 1W SMD - 100lm
- Strong magnet in base
- Torchlight function
- Protection class: III
- Retractable rotating hook in handle
- Charger in set: USB 100-240 AC/DC 5V1A + 1,5m micro
- Weight: 0,25kg
- Li-Ion 3,7V 2200mAh battery
- Lamp covered with rubber
- Charging time: 3h
- Working time: 3,5h (main part), 8h (top part)
- Indicator of battery state
- Elastic joint +/- 180°

APPLICATION

AVIOR COB LED

GENERAL CARD

AVAILABLE VERSIONS



Click index >>, to see details

Nominal power [W] - range	Luminous flux of the luminaire [lm] - range	Charging time [h:min]	Battery life [h:min]	Battery	Battery capacity [mAh]	Plug type	Dimensions (H/W/T/S) [mm]	Index
2W COB / 1W SMD	200/100	3.00	3.50	Li-Ion 3,7V	2200	UNI-SCHUKO	56/190/33	>> 334719

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	