

Стандартное освещение стройплощадки Tytan Workplace LED, Light Ball LED Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

TYTAN WOKRPLACE LED

OŚWIETLENIE STACJONARNE / STATIONARY LIGHTING



LED | IP44 | IK09 | 220-240V
50-60Hz |  |  | 



- Strumień świetlny oprawy 4500lm
- Stopień szczelności: IP44
- Odporność na uderzenia: IK09
- Moc nominalna 29W
- Temperatura barwowa: 4000K
- Klasa ochronności: I
- Materiał korpusu oprawy: PC
- Kolor korpusu oprawy: szary
- Materiał klosza: PC
- Rodzaj klosza: MAT
- Przeznaczona do tymczasowego montowania w miejscu pracy
- W ofercie oprawy z kablami różnych długości, wtyczkami i gniazdami różnego typu

- Total luminous flux: 4500lm
- Ingress protection class: IP44
- Power: 29W
- Colour temperature: 4000K
- Protection class: I
- Body material: PC
- Body colour: grey
- Diffuser material: PC
- Diffuser type: MAT
- It is dedicated as an aid for providing temporary light on site.
- We can offer fittings with cables of different length and various types of plugs.

index	moc power [W]	napięcie zasilające power supply [V]	IP	kl.ochronności protection class	strumień świetlny oprawy total luminous flux [lm]	gniazda sockets	rodzaj wtyczki plug type
908101	29	220-240	44	I	4500	SCHUKO	UNI-SCHUKO

LIGHT BALL LED


OŚWIETLLENIE 360° / 360° LIGHTING



SMD LED | IP54 | IP44 | 230 V 50 Hz | 48V |    | CE

LED GO!

Li-ion
BATTERY
AKUMULATOR



- Źródło światła: wysokowydajne SMD LED
- Moc: 23W
- Stopień szczelności: IP 54/44
- Równomierny (kulisty) rozsył światła
- Klosz wykonany z PMMA opal
- Składany i obracany haczyk
- Przewód gumowy H07RN-F 3x1,5mm (5m)
- W standardzie wbudowane dwa gniazda (wersja AKKKU jest wyposażona w jedno gniazdo)
- Woreczki ochronne

Wersja AKKU:

- Tryb pracy „emergency” – 90 min. pracy bez zasilania
- Natychmiastowe i automatyczne przełączenie w stan „emergency” po zaniku zasilania
- Akumulator Li-Ion 3,7V 4Ah
- Krótki okres ładowania akumulatorów (4h)
- Wyłącznik

- Light source: highly efficient SMD LED
- Power supply: 23W
- Ingress protection class: IP 54/44
- Even (spherical) light distribution
- Opal bowl made of PMMA
- Foldable and rotating hook
- Rubber cable H07RN-F 3x1,5mm (5m)
- Two sockets in standard (42W AKKU version is equipped with one socket)
- Protective bags

AKKU version:

- “Emergency” working time – 90 min. of working without power supply
- Immediate and automatic switching to the state of emergency after power failure
- Li-Ion 3,7V 4Ah battery
- Quick battery charging (4h)
- Switch

index	moc power	zasilanie power connection	IP	gniazda sockets	rodzaj wtyczki plug type	kl.ochronności protection class	waga weight [kg]	akumulator battery
065361	23W	230V	IP54	-	UNI-SCHUKO	II		-
065354	23W	230V	IP44	2 x DK	DK	I		-
065330	23W	230V	IP54	2 x SCHUKO	UNI-SCHUKO	I		-
065347	23W	230V	IP54	2 x PL-FR	UNI-SCHUKO	I		-
065378	23W	48V	IP54	-	-	III		-
065385	23W	230V	IP54	1 x SCHUKO	UNI-SCHUKO	I		+
065392	23W	230V	IP54	1 x PL-FR	UNI-SCHUKO	I		+
065408	23W	230V	IP44	1 x DK	DK	I		+
065415	23W	48V	IP54	-	-	III		+

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	